




GUTMANN

GUTMANN FPS

EXPOSED FALL PROTECTION

**COVER, EDGE
PROTECTORS
AND PROFILES
IN THE SAME
COLOUR**



*Exclusively
from Taulo!*



GUTMANN FPS ***Exposed fall protection***

Thanks to our smart Configurator, ordering our new FPS sets – including prefabricated mounting material – is now easier than ever. Fast, easy mounting and compatibility for use on all common frame materials make GUTMANN FPS unique.

Floor-to-ceiling windows are now a regular choice as a design element not only in modern office buildings, but also in private homes. Unlike balcony doors, they open into a void, so this type of window requires specially designed fall protection. One of the main concerns of modern architecture is to provide an unobstructed view outside without neglecting safety issues.





**24/7 ONLINE
ORDERING VIA TUULO**



**DIN 18004-4 WITH
ABP CERTIFICATE**



**EASY
FITTING**

- Can be mounted on all common frame materials such as wood, PVC, PVC-aluminium, wood-aluminium and aluminium, regardless of the system supplier.
- Free configuration of heights between 350 and 1200 mm and widths from 400 - 3000 mm.
- Tested for all statically required glass thicknesses.


- All sets include prefabricated mounting material, i.e. all fixing materials of the corresponding frame type.
- Fast, easy installation without further mechanical processing.
- Concealed fixing.

- Ready availability of in-stock standard colours RAL 9016, RAL 7016 GM and E6/EV1. Edge protection also available in EV1.
- Also available in all special colours on request.
- Uniform appearance of the entire fall protection system – edge protection and cover are supplied in the same colour as the basic profile.
- Customer-optimised labelling with their commission and position details.




GUTMANN FPS


Exposed fall protection as prefabricated sets for the following frame materials for glass thicknesses 12.76 mm, 16.76 mm, 17.52 mm, 20.76 mm, 24.76 mm and 25.52 mm.




FPS WOOD WINDOW




FPS PVC WINDOW




FPS PVC-ALUMINIUM DECCO



FPS WOOD-ALUMINIUM MIRA



FPS WOOD-ALUMINIUM MIRA CONTOUR



FPS ALUMINIUM WINDOW GWD 070/080

Illustrations not to scale



**ALSO AVAILABLE IN
SPECIAL COLOURS**

**EASY
MOUNTING**

**UNIFORM APPEARANCE OF THE
ENTIRE FALL PROTECTION SYSTEM**


24/7

Online ordering with Tuulo

Ordering our new FPS sets is really easy with the help of our smart Configurator.

Use GUTMANN's digital tool Tuulo for superfast planning and ordering of windows, doors and windowsills on your computer, tablet or smartphone. All you need is your browser window. Tuulo informs you about stock levels, delivery times and the status of your order. Tuulo not only calculates all orders in accordance with the agreed delivery terms, but can also handle complex configurations such as windowsills and interior/exterior corners.





Order with just a few clicks

When planning GUTMANN FPS fall protection, Tuulo only considers elements that comply with legal requirements and standards. This prevents mistakes due to carelessness or lack of specialist knowledge in this sensitive area.

- | | |
|---------------------------------|--------------------------|
| 1 Select system type and colour | 4 Select glass thickness |
| 2 Enter dimensions | 5 Start static check |
| 3 Select frame profile | 6 Add to shopping cart |



Start FPS
Configurator



Create your
structure




Automatic
check



Click! Add to
shopping cart

Windowsill configuration?

With Tuulo - no problem!



www.tuulo.de

tuulo
POWERED BY GUTMANN